



**Critical Fall Height and Physical Dimensions**

Thickness	Weight (lbs.) Each (Not less than)		Critical Fall Height (ft.)	
	Standard Colors	Day Bright & Day Light Colors	Standard Colors	Day Bright & Day Light Colors
2-1/2"	24	25	6	6
3-3/4"	33	N/A	8	N/A

**Packaging Information**

Thickness	Full Pallet Weight (lbs.)		Pieces/Pallet	Pallet Height
	Standard Colors	Day Bright & Day Light Colors		
2-1/2"	2,460	2,560	100	63.00"
3-3/4"	2,040	N/A	60	65.50"

**Other Packaging Information**

Standard Pallet Size: 48"x48"  
 Empty Pallet Weight: 60 lbs  
 Standard Pallets in 48' Van: 20

**Physical Data Test**

Characteristic	Test Method	Standard Colors	Day Bright & Day Light Colors
Density	ASTM D297	50 lb./ft3 min.	70 lb./ft3 min.
Tensile Strength*	ASTM D412, DIE C	150 lb./in2 min.	180 lb./in2 min.
Elongation at Break*	ASTM D412, DIE C	50% min.	70% min.
Abrasion Test*	ASTM D3389	Less than 0.010" lost	Less than 0.010" lost
Coefficient of Friction*	ASTM D2047	0.8 min.	0.8 min.
Flammability	ASTM D2859 (Burning Pill Test)	8 of 8 samples passed	8 of 8 samples passed
Wheel Chair Accessibility	ASTM F1951-08	Pass	Pass
Lead Content	US EPA Method 3052:1996	Pass	Pass