

AMORIM CORK COMPOSITES AMORIM SPORTS FLOOR MAINTENANCE GUIDE

Cleaning and Maintenance Instructions

Note: Sealing the floor is not a necessary step and in fact, it is discouraged in very abusive applications (e.g., Health club free weight area or ice hockey perimeter flooring). However, high color percentage floors (>50%) or areas that experience foot traffic only will greatly benefit by being sealed.

A. Maintenance For Un-sealed Floors.

- 1. Amorim Sports Floor can be cleaned much like carpeting.
- 2. Daily vacuuming is encouraged to keep dust to a minimum.
- 3. If the flooring cannot be fully cleaned with a vacuum, a <u>damp</u> mopping with a mild soap and water solution will usually be sufficient.
 - a) It is important not to get the flooring too wet as this may have an adverse effect on the adhesive system employed.
 - b) Change the soap and water solution often!
- 4. Use a wet vacuum to remove excess water from the flooring.
- 5. Be sure to use a clean mop. This will keep your floor smelling fresh and clean.

B. Post Construction Maintenance For Sealed Floors.

- 1. Sweep the floor clean.
- 2. Dry vacuum to ensure any fine soil is removed.
- 3. Wet scrub floor with TASKI Profi cleaner (6-8 oz / gl of water) using buffer or autoscrubber with a TASKI contact pad or soft nylon brush.
 - a) TASKI floor care products are manufactured by JohnsonDiversey $^{\text{TM}}$ and can be found at many janitorial supply houses.
 - b) JohnsonDiverseyTM customer service hotline is 800-626-5015
 - c) Look under institutional floor care products on their website at http://www.diverseylever.com
- 4. Recover soiled solution, rinse, and allow to dry thoroughly (6-8 hours).

C. Initial Treatment

- 1. Apply 3 thin coats of TASKI Vision Matte
- 2. Allow proper drying time before applying next coat.
 - a) Note: Apply floor finish with synthetic wax mop. While the finish is wet, buff the floor with floor buffer (150-300 rpm) and



soft nylon brush. This application drives the finish into the floor and prompts proper sealing and coating of the floor.

D. Daily / As Needed Cleaning

- 1. Dry vacuum floor thoroughly (daily).
- 2. Auto scrub or wet mop floor using TASKI Combiplus or TASKI Wiwax as needed. (2-3 oz/gl of water).
 - a) NOTE: In an office environment, the floor may become scuffed due to heavy foot traffic and may require weekly or as needed spray buffing or dry buffing of the floor with a mint or white pad. In application of spray buffing, use TASKI Wiwax diluted 50/50 with water.

E. Periodic Cleaning As Needed

- 1. Dry vacuum the floor thoroughly.
- 2. Wet scrub the floor with TASKI Profi (4oz / gl). This application is done with an autoscrubber or a buffer and wet vacuum. Use a TASKI purple pad for scrubbing the floor.
- 3. Allow the solution to remain on the floor for at least 5 minutes.
- 4. Wet vacuum soiled solution.
- 5. Rinse and allow to dry (1-2 hours).
- 6. Apply 1-2 thin coats of TASKI Vision Matte using a wet buffing process with soft nylon brush.

F. A Few Tips About Working With Amorim Sports Floor

- 1. Use a vacuum with a high CFM to pick up dust.
- 2. Wait for the floor to dry between applications of floor finish or sealer.
- 3. Apply floor finish (thin coats) with wax mop and follow with a floor buffer using a soft nylon brush.
- 4. For large areas, use an autoscrubber with a contact pad or soft nylon brush to clean the floor daily.
- 5. For stripping a rubber floor, use TASKI Ice-It and nylon brush.
- 6. For poorly maintained floors, it may be necessary to continue cleaning with Ice-It for an extended period.
- 7. For food areas, daily cleaning should be done with Profi (2-4 oz/gl).